University of California Agriculture and Natural Resources

Stanislaus & San Joaquin Counties

LIVESTOCK LINES

June 2011 () Volume 17 No. 2

DID YOU KNOW...

An outbreak of Equine Herpes occurred at a National Cutting Horse Association event in Utah recently and an affected horse has been found in Stanislaus County. Currently, infected horses are being quarantined.

by Theresa Becchetti

liesa

Livestock and Natural Resources Farm Advisor

What do New Changes in Aluminum Phosphide Labels Mean for Burrowing Mammal Control?

By Roger A. Baldwin UC IPM Wildlife Pest Management Advisor

The California ground squirrel (*Spermophilus beecheyi*) and pocket gopher (*Thomomys* spp.) are widely considered to be the two most damaging wildlife pests in California agriculture. Numerous techniques are available for controlling ground squirrels and gophers including trapping, anticoagulant baits, acute toxicant baits, and burrow fumigants. Trapping can be an effective method to remove small to medium size populations of gophers and ground squirrels but often becomes too time consuming for large acreage. Both anticoagulant (e.g., diphacinone and chlorophacinone) and acute toxicant baits (e.g., zinc phosphide) can be quite effective at controlling ground squirrels when used appropriately. These rodenticides are less consistent but can still be effective when baiting for pocket gophers. Baiting is typically considered the cheapest and least time-consuming method for controlling both gophers and ground squirrels. However, there are potential concerns for non-target poisonings when using rodenticides which can limit their applicability in some situations.

Burrow fumigants, such as gas cartridges and aluminum phosphide, do not typically pose as great of a concern for non-target exposure as baits, and usually involve shorter application times than trapping. Aluminum phosphide is particularly effective at controlling gophers and ground squirrels. Recent studies on ground squirrels and gophers indicated excellent control for both species (reduction in ground squirrel population = 97–100%; reduction in gopher population = 100%). Aluminum phosphide is a restricted use material; specific guidelines must be adhered to when using this material. Additionally, fumigation is generally only effective when soil is moist. Therefore, fumigation is restricted to late winter and spring or following irrigation. Nonetheless, aluminum phosphide fumigation is a very valuable part of an IPM program for controlling gophers and ground squirrels; its continued availability to growers is needed to maximize control efforts in many situations.

and the second	
To simplify information, trade names of products have been used. No endorsement of named products is intended, nor is criticism implied of similar products which are not mentioned.	Food Safety - a Concern for AllPg. 3
	Equine HerpesPg. 3 "Yellow Book" Goes On-LinePg. 4 Beef Quality Assurance ProgramPg. 4 Rangeland Decision Making Survey

The University of California prohibits discrimination or harassment of any person on the basis of race, color, national origin, religion, sex, gender identity, pregnancy (including childbirth, and medical conditions related to pregnancy or childbirth), physical or mental disability, medical condition (cancer-related or genetic characteristics), ancestry, marital status, age, sexual orientation, citizenship, or status as a covered veterans respecial disabled veterans, recently separated veterans, retard veterans, are special disabled veterans, recently separated veterans, retard veterans, are special disabled veterans, recently separated veterans, retard veterans, retard veterans are special disabled veterans, recently separated veterans, retard veterans, retard veterans are special disabled veterans, retard vet

Unfortunately, recent changes in aluminum phosphide labels have been implemented due to the gross misuse of this product that led to the death two young girls in Utah. These changes include the following:

- •Use is strictly prohibited around all residential areas, including single and multi-family residential properties, nursing homes, schools (except athletic fields, where use may continue), day care facilities, and hospitals.
- The products must only be used outdoors for the control of burrowing pests, and are for the use on agricultural areas, orchards, non-crop areas (such as pasture and rangeland), golf courses, athletic fields, parks, and other non-residential institutional or industrial sites.
- Products must not be applied in a burrow system that is within 100 feet of a building that is or may be occupied by people or domestic animals. This buffer zone for treatment around non-residential buildings that could be occupied by people or animals has been increased from 15 to 100 feet.
- When this product is used in athletic fields or parks, the applicator must post a sign at entrances to the treatment site containing the signal word DANGER/ PELIGRO, skull and crossbones, the words: DO NOT ENTER/NO ENTRE, FIELD NOT FOR USE, the name and EPA registration number of the fumigant, and a 24-hour emergency response number. Signs may be removed 2 days after the final treatment.
- When this product is used out of doors in a site frequented by people, other than an athletic field or park (such as agricultural fields), the applicator shall post a sign at the application site containing the signal word DANGER/PELIGRO, skull and crossbones, the name and EPA registration number of the fumigant, and a 24-hour emergency response number. Signs may be removed 2 days after the final treatment.

Because of these changes, I have developed a questionnaire designed to develop accurate facts on various methods, including fumigation with aluminum phosphide, for controlling burrowing mammals in California. The information will be provided to registrants, the U.S. EPA, and others to help develop use policies, labels, etc. My primary objectives are to:

- Identify the level of use of aluminum phosphide for various burrowing mammals in agricultural areas prior to the new aluminum phosphide label restrictions.
- •Identify how new aluminum phosphide label restrictions will alter use of a variety of control methods.
- Identify the potential impact of the new aluminum phosphide label restrictions on burrowing mammal populations.
- •See if there is support to further increase safety for residents and other public bystanders by requiring a new Certified Applicator Category for use of aluminum phosphide fumigants for burrowing pest control IF such a category would ease restrictions set forth in the most recent aluminum phosphide labels.

The data collected should provide a much clearer picture of use patterns and importance of several methods, including aluminum phosphide, for controlling agricultural populations of burrowing pests in California. The survey can be accessed at the following web address:

http://ucanr.org/sites/AluminumPhosphideSurvey/

Two surveys are found at this website; one is for agricultural users, the other is for rodent control professionals who control burrowing mammals in urban/residential areas. Be sure you complete the appropriate survey. Once completed, the survey can either be: 1) saved and e-mailed to me, or 2) mailed to me via USPS. My e-mail address, mailing address, and phone number are provided at the end of this article. If you do not have internet access, give me a call or send a letter and I will mail a copy of the survey to you.

I must emphasize the importance of your participation in this survey if you use aluminum phosphide for burrowing mammal control. Data needs to be collected and subsequent results provided to the pertinent regulatory agencies to show the importance of aluminum phosphide for burrowing mammal control. Otherwise, there is a real possibility that we may completely lose aluminum phosphide for burrowing mammal control.

Roger A. Baldwin, Ph.D. UC Kearney Agricultural Research & Extension Center 9240 South Riverbend Ave. Parlier, CA 93648 Phone: 559-646-6583 E-mail: rbaldwin@uckac.edu